



RPM	MODELLO MODEL	PORTATA FLOW		PRESSIONE PRESSURE		POTENZA POWER		PESO WEIGHT
		l/min	GPM	bar	PSI	HP	kW	Kg
1000	GB 26/20 S	26.0	6.9	200	2900	13.3	9.8	16.1
	GB 30/20 S	30.0	7.9	200	2900	15.4	11.3	16.1
	GB 34/20 S	34.0	9.0	200	2900	17.4	12.8	16.1
1450	GC 38/15 S	38.0	10.0	150	2175	14.6	10.7	16.1
	GC 42/14 S	42.0	11.1	140	2030	15.1	11.1	16.2
	GC 50/12 S •	50.0	13.2	120	1740	15.4	11.3	16.2
1750	GD 9.5/25 S	36.0	9.5	170	2465	15.7	11.5	16.2
	GD 11.0/22 S	41.5	11.0	150	2175	16.0	11.7	16.2
	GD 12.0/20 S •	45.5	12.0	140	2030	16.3	12.0	16.2

S = Albero Maschio 24 mm
S = Male Shaft 24 mm

• Minimo 0.1 bar (1.5 PSI) di pressione in entrata / Min. 0.1 bar (1.5 PSI) inlet pressure

Dimensioni d'ingombro (mm) - Overall Dimensions (mm)

